Office of Personnel Management

(c) For nonappropriated fund surveys, the lead agency shall use SIC 581 (eating and drinking places industry) in making its determination for a specialized industry.

 $[55~\mathrm{FR}~46179,~\mathrm{Nov.}~1,~1990;~55~\mathrm{FR}~52267,~\mathrm{Dec.}~21,~1990]$

§532.315 Additional survey jobs.

(a) For appropriated fund surveys, when the lead agency adds to the industries to be surveyed, it shall add to the required survey jobs the specialized survey jobs listed below opposite the industry added:

Specialized in- dustry	Specialized survey jobs	Grade
Aircraft	Electronics Mechanic Aircraft Structures Assembler B Aircraft Structures Assembler A Aircraft Mechanic	WG-11 WG-7 WG-9 WG-10
	Aircraft Mechanic includes Aircraft Electrician Aircraft Welder Aircraft Sheetmetal Worker Hydromechanical Fuel Control Repairer.	WG-10 WG-10 WG-10 WG-10
	Aircraft Engine Mechanic	WG-10 WG-10 WG-10 WG-7
Artillery and combat ve-	Munitions Handler	WG-4 WG-4 WG-6 WG-8 WG-9 WG-9 WG-10
hicles.	dustries). Heavy Mobile Equipment Mechanic. Artillery Repairer	WG-10 WG-9 WG-8 WG-10 WG-11 WG-10
Communica-	dustries. Telephone Installer-Repairer	WG-9
	Central Office Repairer Electronic Test Equipment Repairer.	WG-11 WG-11
Electronics	Television Station Mechanic Electronics Mechanic Industrial Electronic Controls	WG-11 WG-11 WG-10
Guided mis-	Repairer. Electronic Test Equipment Repairer. Electronic Computer Mechanic Television Station Mechanic Electronic Computer Mechanic	WG-11 WG-11 WG-11 WG-11
siles.	Guided Missile Mechanical Repairer.	WG-11
Heavy duty equipment.	Heavy Mobile Equipment Mechanic.	WG-10

Specialized in- dustry	Specialized survey jobs	Grade
Shipbuilding	Electronics Mechanic	WG-11
, ,	Electrician, Ship	WG-10
	Pipefitter, Ship	WG-10
	Shipfitter	WG-10
	Shipwright	WG-10
	Machinist (Marine)	WG-10
Sighting and fire control.	Electronic Computer Mechanic	WG-11
	Fire Control Instrument Repairman.	WG-11
	Electronic Fire Control Systems Repairer.	WG-11
	Electronic Fire Control Systems Repairer.	WG-12
	Electronic Fire Control Systems Repairer.	WG-13
Small arms	Small Arms Repairer	WG-8

(b) For nonappropriated fund surveys, a lead agency must obtain prior approval of OPM to add a job not listed in §532.223 of this subpart.

[55 FR 46180, Nov. 1, 1990]

§ 532.317 Use of data from the nearest similar area.

- (a)(1) For prevailing rate employees other than those in the Department of Defense, the lead agency shall, in establishing the regular schedule under the provisions of this subpart, analyze and use the acceptable data from the nearest similar wage area together with the data obtained from inside the local wage survey area. The regular schedule for Department of Defense prevailing rate employees shall be based on local wage data only.
- (2) The total number of job matches obtained from the nearest similar wage area shall be equal to the number required for adequacy in §532.309(a) (2) and (3) of this subpart for appropriated fund surveys and §532.309(b)(2) of this subpart for nonappropriated fund surveys.
- (3) Data shall be selected for inclusion on the basis of the most populous survey jobs as determined by the weighted job matches found in the dominant industry in the selected reference area. In identifying survey jobs for which reference area samples will be included, the jobs required at limited grade ranges shall be selected before jobs in the unlimited grade range. When there is a tie in the selection procedure, the highest graded job shall be selected first.